

93.5%

4kV

6kV

IP67

SELV

5



EBV-250SxxxSV


250W IP67

176-305Vac


	(1)	(2)	(3)	(4)(5)	
				220Vac	
12 V	176 ~ 305 Vac 190 ~ 250 Vdc	0 ~ 18.4 A	220 W	91.5%	0.96 EBV-250S012SV
24 V	176 ~ 305 Vac 190 ~ 250 Vdc	0 ~ 10.5 A	250 W	93.0%	0.96 EBV-250S024SV
36 V	176 ~ 305 Vac 190 ~ 250 Vdc	0 ~ 7.0 A	250 W	92.5%	0.96 EBV-250S036SV
48 V	176 ~ 305 Vac 190 ~ 250 Vdc	0 ~ 5.3 A	250 W	93.5%	0.96 EBV-250S048SV

- 1 CCC 220/230/240Vac; CCC 200-240Vac 190-250Vdc
BIS KCC KS
- 2 90-305Vac 90-176Vac " "
- 3 220Vac, 100% " "
- 4 SELV
- 5 BIS -3000


	176 Vac	-	305 Vac	
	190 Vdc	-	250 Vdc	




EBV-250S012SV
效率 vs. 输出电流




EBV-250S024SV
效率 vs. 输出电流





EBV-250S036SV
效率 vs. 输出电流



EBV-250S048SV
效率 vs. 输出电流






EBV-250S012SV

(VDE H05RN-F 3C*1.0mm² Ø7.2)

(VDE H07RN-F 2C*1.5mm² Ø9.4)



EBV-250S024SV



RoHS

RoHS 2011/65/EU

EU 2015/863

INVENTRONICS

EBV-250SxxxSV

Rev. C

250W

IP67

2018-12-14	A		/	/
			/	
		KCC	/	

1 CC

2019-01-25 B